

MainMenu.html

```
<!DOCTYPE html>

<html>

<head>

  <meta charset="utf-8" />

  <title>Main Menu</title>

  <style>

    body, html {

      margin: 0;

      padding: 0;

      background-color: #F8F4E1;

      color: #4E1F00;

      font-family: Arial, sans-serif;

    }


    .header {

      background-color: #4E1F00;

      color: #F8F4E1;

      text-align: center;

      font-size: 40px;

      padding: 10px 0;

    }
```

```
.menu {  
  display: flex;  
  flex-direction: column;  
  align-items: center;  
  gap: 20px;  
  padding: 20px;  
}
```

```
.menu a {  
  background-color: #4E1F00;  
  color: #F8F4E1;  
  text-decoration: none;  
  padding: 10px 20px;  
  border-radius: 5px;  
  font-size: 18px;  
}
```

```
.menu a:hover {  
  background-color: #3b1700;  
}
```

```
</style>
```

```
</head>
```

```
<body>

  <header class="header">Main Menu</header>

  <div class="menu">

    <a href="Cust_Reg.html">Customer Registration</a>

    <a href="SearchFlights.html">Search Flights</a>

    <a href="Booking.html">Book a Flight</a>

    <a href="Admin.html">Admin Dashboard</a>

  </div>

</body>

</html>
```

Admin.html

```
<!DOCTYPE html>

<html>

<head>

  <meta charset="utf-8" />

  <title>Admin Dashboard</title>

  <style>

    body, html {

      margin: 0;

      padding: 0;

      background-color: #F8F4E1;
```

```
    color: #4E1F00;  
}
```

```
.header {  
    background-color: #4E1F00;  
    color: #F8F4E1;  
    text-align: center;  
    font-size: 40px;  
    padding: 10px 0;  
}
```

```
h2 {  
    margin-left: 20px;  
}
```

```
.admin-actions {  
    display: flex;  
    flex-direction: column;  
    align-items: flex-start;  
    gap: 10px;  
    padding: 20px;  
}
```

```
.action-btn {
    background-color: #4E1F00;
    color: #F8F4E1;
    text-decoration: none;
    padding: 10px 20px;
    border-radius: 5px;
}

.action-btn:hover {
    background-color: #3b1700;
}

</style>
</head>
<body>

    <header class="header">Admin Dashboard</header>

    <h2>Manage System</h2>

    <div class="admin-actions">

        <button class="action-btn"
onclick="location.href='ManageFlights.html'">Manage Flights</button>

        <button class="action-btn"
onclick="location.href='ManageUsers.html'">Manage Users</button>

        <button class="action-btn"
onclick="location.href='RolebasedAccessControl.html'">Assign
Roles</button>

    </div>
```

```
</body>
```

```
</html>
```

Booking.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <meta charset="utf-8" />
```

```
  <title>Flight Booking</title>
```

```
  <style>
```

```
    body, html {
```

```
      margin: 0;
```

```
      padding: 0;
```

```
      background-color: #F8F4E1;
```

```
      color: #4E1F00;
```

```
    }
```

```
    .header {
```

```
      background-color: #4E1F00;
```

```
      color: #F8F4E1;
```

```
      text-align: center;
```

```
      font-size: 40px;
```

```
padding: 10px 0;  
}
```

```
h2 {  
margin-left: 20px;  
}
```

```
.booking-info {  
display: flex;  
flex-direction: column;  
align-items: flex-start;  
gap: 10px;  
padding: 20px;  
}
```

```
.form-group {  
display: flex;  
gap: 20px;  
}
```

```
.form-group label {  
width: 150px;  
color: #4E1F00;
```

```
}
```

```
.book-btn {
```

```
background-color: #4E1F00;
```

```
color: #F8F4E1;
```

```
text-decoration: none;
```

```
padding: 10px 20px;
```

```
border-radius: 5px;
```

```
}
```

```
.book-btn:hover {
```

```
background-color: #3b1700;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<header class="header">Flight Booking</header>
```

```
<h2>Book Your Flight</h2>
```

```
<form class="booking-info">
```

```
<div class="form-group">
```

```
<label for="name"> Name: </label>
```

```
<input type="text" id="name" name="name">
```

```
</div>
```

```
<div class="form-group">
```



```
<label for="email"> Email: </label>

<input type="email" id="email" name="email">

</div>

<div class="form-group">

  <label for="phone"> Phone: </label>

  <input type="tel" id="phone" name="phone">

</div>

<div class="form-group">

  <label for="departure"> Departure Site: </label>

  <input type="text" id="departure" name="departure">

</div>

<div class="form-group">

  <label for="destination"> Destination: </label>

  <input type="text" id="destination" name="destination">

</div>

<div class="form-group">

  <label for="date"> Date of Travel: </label>

  <input type="date" id="date" name="date">

</div>

<div class="form-group">

  <label for="class"> Class: </label>

  <select id="class" name="class">

    <option value="economy">Economy</option>
```

```
        <option value="business">Business</option>
        <option value="first">First Class</option>
    </select>
</div>
<div class="form-group">
    <label for="flight"> Select Flight: </label>
    <select id="flight" name="flight">
        <option value="flight1">Flight 1 - 10:00 AM</option>
        <option value="flight2">Flight 2 - 2:00 PM</option>
        <option value="flight3">Flight 3 - 6:00 PM</option>
    </select>
</div>
<div class="form-group">
    <label for="available-seats"> Available Seats: </label>
    <span id="available-seats">50</span>
</div>
<div class="form-group">
    <label for="num-seats"> How many seats you want: </label>
    <input type="number" id="num-seats" name="num-seats" min="1"
max="50">
</div>
    <button type="button" class="book-btn"
onclick="location.href='Payment.html'">Book Now</button>
</form>
```

```
</body>
```

```
</html>
```

Cust_reg.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <meta charset="utf-8" />
```

```
  <title>Airline Managemnet System</title>
```

```
  <style>
```

```
    body, html {
```

```
      margin: 0;
```

```
      padding: 0;
```

```
      background-color: #F8F4E1;
```

```
      color: #4E1F00;
```

```
    }
```

```
    .header {
```

```
      background-color: #4E1F00;
```

```
      color: #F8F4E1;
```

```
      text-align: center;
```

```
      font-size: 40px;
```

```
    }
```

```
h2{
  margin-left: 20px;
}

.reg-info {
  display: flex;
  flex-direction: column;
  align-items: flex-start;
  gap: 10px;
  padding: 20px;
}

.form-group{
  display: flex;
  gap: 20px;
}

.form-group label {
  width: 100px;
  color: #4E1F00;
}

.sub-btn {
  background-color: #4E1F00;
  color: #F8F4E1;
  text-decoration: none;
  padding: 10px 20px;
```

```
        border-radius: 5px;
    }

    .sub-btn:hover {
        background-color: #3b1700;
    }
</style>
</head>
<body>

    <header class="header">Airline Management System</header>

    <h2>Customer Registration</h2>

    <form class="reg-info">

        <div class="form-group">

            <label for="txtname"> Name: </label>

            <input type="text" id="txtname" name="txtname"><br>

        </div>

        <div class="form-group">

            <label for="emailtxt"> Email: </label>

            <input type="email" id="emailtxt" name="emailtxt"><br>

        </div>

        <div class="form-group">

            <label for="txtphone"> Phone: </label>

            <input type="tel" id="txtphone" name="txtphone"><br>

        </div>

    </form>

</body>
</html>
```

```
<div class="form-group">
  <label for="txtaddress"> Address: </label>
  <input type="text" id="txtaddress" name="txtaddress"><br>
</div>

<div class="form-group">
  <label for="gender"> Gender: </label>
  <select id="gender" name="gender">
    <option value="male">Male</option>
    <option value="female">Female</option>
    <option value="other">Other</option>
  </select><br>
</div>

<div class="form-group">
  <label for="dob"> Date of Birth: </label>
  <input type="date" id="dob" name="dob"><br>
</div>

<input class="sub-btn" type="submit" value="submit">

</form>

</body>

</html>
```

Payment.html

```
<!DOCTYPE html>

<html>

<head>

  <meta charset="utf-8" />

  <title>Payment</title>

  <style>

    body, html {

      margin: 0;

      padding: 0;

      background-color: #F8F4E1;

      color: #4E1F00;

    }


    .header {

      background-color: #4E1F00;

      color: #F8F4E1;

      text-align: center;

      font-size: 40px;

      padding: 10px 0;

    }


    h2 {

      margin-left: 20px;
```

```
}
```

```
.payment-info {  
  display: flex;  
  flex-direction: column;  
  align-items: flex-start;  
  gap: 10px;  
  padding: 20px;  
}
```

```
.form-group {  
  display: flex;  
  gap: 20px;  
}
```

```
.form-group label {  
  width: 150px;  
  color: #4E1F00;  
}
```

```
.pay-btn {  
  background-color: #4E1F00;  
  color: #F8F4E1;
```



```
    text-decoration: none;

    padding: 10px 20px;

    border-radius: 5px;
}

.pay-btn:hover {

    background-color: #3b1700;

}

</style>
</head>
<body>

    <header class="header">Payment</header>

    <h2>Enter Payment Details</h2>

    <form class="payment-info">

        <div class="form-group">

            <label for="card-name"> Name on Card: </label>

            <input type="text" id="card-name" name="card-name">

        </div>

        <div class="form-group">

            <label for="card-number"> Card Number: </label>

            <input type="text" id="card-number" name="card-number">

        </div>

        <div class="form-group">

            <label for="expiry-date"> Expiry Date: </label>
```

```
        <input type="month" id="expiry-date" name="expiry-date">
    </div>

    <div class="form-group">
        <label for="cvv"> CVV: </label>
        <input type="text" id="cvv" name="cvv">
    </div>

    <div class="form-group">
        <label for="billing-address"> Billing Address: </label>
        <input type="text" id="billing-address" name="billing-address">
    </div>

    <input class="pay-btn" type="submit" value="Pay Now">
</form>
</body>
</html>
```

RoleBasedAccessControl.html

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8" />
    <title>Role-based Access Control</title>
```

```
<style>
```

```
body, html {  
    margin: 0;  
    padding: 0;  
    background-color: #F8F4E1;  
    color: #4E1F00;  
}
```

```
.header {  
    background-color: #4E1F00;  
    color: #F8F4E1;  
    text-align: center;  
    font-size: 40px;  
    padding: 10px 0;  
}
```

```
h2 {  
    margin-left: 20px;  
}
```

```
.role-info {  
    display: flex;  
    flex-direction: column;
```

```
    align-items: flex-start;
    gap: 10px;
    padding: 20px;
}
```

```
.form-group {
    display: flex;
    gap: 20px;
}
```

```
.form-group label {
    width: 150px;
    color: #4E1F00;
}
```

```
.assign-btn {
    background-color: #4E1F00;
    color: #F8F4E1;
    text-decoration: none;
    padding: 10px 20px;
    border-radius: 5px;
}
```

```
.assign-btn:hover {
```

```
        background-color: #3b1700;
    }
</style>
</head>
<body>
    <header class="header">Role-based Access Control</header>
    <h2>Assign Roles</h2>
    <form class="role-info">
        <div class="form-group">
            <label for="username"> Username: </label>
            <input type="text" id="username" name="username">
        </div>
        <div class="form-group">
            <label for="role"> Role: </label>
            <select id="role" name="role">
                <option value="customer">Customer</option>
                <option value="pilot">Pilot</option>
                <option value="crew">Crew</option>
            </select>
        </div>
        <input class="assign-btn" type="submit" value="Assign Role">
    </form>
</body>
```

</html>

SearchFlights.html

<!DOCTYPE html>

<html>

<head>

<meta charset="utf-8" />

<title>Search Flights</title>

<style>

body, html {

margin: 0;

padding: 0;

background-color: #F8F4E1;

color: #4E1F00;

}

.header {

background-color: #4E1F00;

color: #F8F4E1;

text-align: center;

font-size: 40px;

}

```
h2 {  
    margin-left: 20px;  
}
```

```
.search-info {  
    display: flex;  
    flex-direction: column;  
    align-items: flex-start;  
    gap: 10px;  
    padding: 20px;  
}
```

```
.form-group {  
    display: flex;  
    gap: 20px;  
}
```

```
.form-group label {  
    width: 100px;  
    color: #4E1F00;  
}
```

```
.search-btn {  
    background-color: #4E1F00;  
    color: #F8F4E1;  
    text-decoration: none;  
    padding: 10px 20px;  
    border-radius: 5px;  
}  
  
.search-btn:hover {  
    background-color: #3b1700;  
}  
  
</style>
```

```
</head >
```

```
<body >
```

```
<header class="header">Search flights here</header>
```

```
<form class="search-info">
```

```
<div class="form-group">
```

```
<label for="schedule"> Schedule: </label>
```

```
<input type="date" id="schedule" name="schedule">
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="departure"> Departure Site: </label>
```



```
<input type="text" id="departure" name="departure">
</div>
<div class="form-group">
  <label for="destination"> Destination: </label>
  <input type="text" id="destination" name="destination">
</div>
<input class="search-btn" type="submit" value="Search">
</form>
</body >
</html >
```